

## Author index to volume 90 (1991)

- Abhyankar, S.S. and S.B. Joshi, Generalized roinsertive correspondence between multitableaux and multimonomials (2) 111–135
- Assaf, A.M., The packing of pairs by quadruples (3) 221–231
- Assmus Jr, E.F. and J.D. Key, Affine and projective planes (*Corrigendum*) (3) 325
- Bienstock, D., On the complexity of testing for odd holes and induced odd paths (*Note*) (1) 85–92
- Căzănescu, V.-E. and G. Ștefănescu, Classes of finite relations as initial abstract data types I (3) 233–265
- Cockayne, E.J., O. Favaron, H. Li and G. MacGillivray, The product of the independent domination numbers of a graph and its complement (*Note*) (3) 313–317
- Courteau, B. and A. Montpetit, A class of codes admitting at most three nonzero dual distances (3) 267–280
- Deckhart, R.W., The local Kostant–PBW ordering (1) 1–20
- Dehon, M., An existence theorem for some simple  $t$ -designs (2) 137–142
- Dillencourt, M.B., An upper bound on the shortness exponent of 1-tough, maximal planar graphs (*Note*) (1) 93–97
- Duchet, P. and S. Olariu, Graphes parfaitement ordonnables généralises (*Note*) (1) 99–101
- Dür, A., The decoding of extended Reed–Solomon codes (1) 21–40
- Ekhad, S.B., A short proof of a 'strange' combinatorial identity conjectured by Gosper (*Note*) (3) 319–320
- Favaron, O., see Cockayne, E.J. (3) 313–317
- Flandrin, E., H.A. Jung and H. Li, Hamiltonism, degree sum and neighborhood intersections (1) 41–52
- Frankl, P. and Z. Füredi, A sharpening of Fisher's inequality (*Note*) (1) 103–107
- Füredi, Z., see Frankl, P. (1) 103–107
- Goldman, A.J., see Robinson, A.G. (2) 153–167
- Grant, D.D., A generalisation of the diameter of a graph (*Note*) (3) 321–324
- Hasratian, A.S. and N.K. Khachatryan, Stable properties of graphs (2) 143–152
- Hsu, F. and L.C. Hsu, A unified treatment of a class of combinatorial sums (*Note*) (2) 191–197
- Hsu, L.C., see Hsu, F. (2) 191–197
- Joshi, S.B., see Abhyankar, S.S. (2) 111–135
- Jung, H.A., see Flandrin, E. (1) 41–52
- Kang, Q., The construction of large sets of disjoint Mendelsohn triple systems of order  $2^n + 2$  (*Note*) (2) 199–205
- Key, J.D., see Assmus Jr, E.F. (3) 325
- Khachatryan, N.K., see Hasratian, A.S. (2) 143–152
- Li, H., see Cockayne, E.J. (3) 313–317
- Li, H., see Flandrin, E. (1) 41–52
- MacGillivray, G., see Cockayne, E.J. (3) 313–317
- Montpetit, A., see Courteau, B. (3) 267–280
- Murphy, O., Lower bounds on the stability number of graphs computed in terms of degrees (*Note*) (2) 207–211
- Niederhausen, H., Factorials and Stirling numbers in the algebra of formal Laurent series (1) 53–62
- Olariu, S., see Duchet, P. (1) 99–101
- Perfect, H., Footnote to a paper of Griggs, Yeh and Grinstead on partitioning into 4-chains (*Note*) (2) 213–214
- Pott, A. and M. Shrikhande,  $t$ -Designs with few intersection numbers (*Note*) (2) 215–217

- Reid, T.J., Triangles in 3-connected matroids (3) 281–296
- Robinson, A.G. and A.J. Goldman, On Ringeisen's isolation game II (2) 153–167
- Shirakura, T., see Tazawa, S. (1) 63– 74
- Shrikhande, M., see Pott, A. (2) 215–217
- Sinha, K., Generalized partially balanced incomplete block designs (*Corrigendum*) (3) 327
- Stefănescu, G., see Căzănescu, V.-E. (3) 233–265
- Stong, R., Hamilton decompositions of cartesian products of graphs (2) 169–190
- Tamura, S., see Tazawa, S. (1) 63– 74
- Tazawa, S., T. Shirakura and S. Tamura, Enumeration of digraphs with given number of vertices of odd out-degree and vertices of odd in-degree (1) 63– 74
- Ting, S.-T. and S.-Y. Zhao, The general Steiner problem in Boolean space and application (1) 75– 84
- Zhao, S.-Y., see Ting, S.-T. (1) 75– 84
- Zhou, H., The chromatic difference sequence of the Cartesian product of graphs (3) 297–311

